

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	0	binary with sequence with concatenate with character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L4	1384	binary with sequence with character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L5	11	binary with sequence with character with concat\$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L6	6	binary with sequence with character with concat\$8 and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L7	26	convert with binary with sequence with character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L8	162	represent with binary with (sequence or string) with character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L9	34	represent near3 binary with (sequence or string) near3 character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L10	0	(ad or advertisement) with click with encode with URL and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30

L11	0	(ad or advertisement) with click same (encode with URL) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L12	152	(ad or advertisement) with click with url and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L13	0	(ad or advertisement) with click with intermediate with url and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L14	0	(ad or advertisement) with click with url same (intermediate with track) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L15	2	(ad or advertisement) with click with url same (track) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L16	0	(ad or advertisement) with click with url same (track) and (intermediate near3 server) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L17	1	((ad or advertisement) with click with redirect with (proxy or intermediate)) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L18	0	((ad or advertisement) with click with redirect) and (track same statistics) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30

L19	0	((ad or advertisement) with click with redirect) and (track) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L20	0	((ad or advertisement) with click with re-direct) and (track) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L21	0	((ad or advertisement) with click with redirect) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L22	1	((ad or advertisement) with click with re-direct) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L23	1	((ad or advertisement) with click with (re-direct or redirect)) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L24	1	((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L25	543655	microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L26	12270	micro-processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30

L27	19733	micro processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L28	550378	micro-processor or microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L29	19733	micro-processor or micro processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L30	42	((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L31	0	((ad or advertisement) with click with (re-direct or redirect or redirect)) with intermediate and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L32	27	represent near3 binary with (sequence or string) near3 character and @ad<"20030124"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L33	26	convert with binary with sequence with character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L34	135	(represent or convert) with binary with (sequence or string) near3 character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30

L35	8	store near4 (binary data) with (sequence or string) near3 character and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L36	0	encode with URL with (time or charge\$4) @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L37	12	encode with URL with (time or charge\$4) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L38	3461	((encode or contain or insert) NEAR2 URL) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L39	810	((encode or contain or insert) NEAR2 URL) with information and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L40	48	((encode) NEAR2 URL) with information and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L41	0	binary with sequence with concatenate with character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L42	1384	binary with sequence with character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30

L43	11	binary with sequence with character with concat\$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L44	6	binary with sequence with character with concat\$8 and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L45	26	convert with binary with sequence with character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L46	162	represent with binary with (sequence or string) with character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L47	34	represent near3 binary with (sequence or string) near3 character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L48	0	(ad or advertisement) with click with encode with URL and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L49	0	(ad or advertisement) with click same (encode with URL) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L50	152	(ad or advertisement) with click with url and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30

L51	0	(ad or advertisement) with click with intermediate with url and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L52	0	(ad or advertisement) with click with url same (intermediate with track) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L53	2	(ad or advertisement) with click with url same (track) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L54	0	(ad or advertisement) with click with url same (track) and (intermediate near3 server) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L55	1	((ad or advertisement) with click with redirect with (proxy or intermediate)) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L56	0	((ad or advertisement) with click with redirect) and (track same statistics) @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L57	0	((ad or advertisement) with click with redirect) and (track) @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L58	0	((ad or advertisement) with click with re-direct) and (track) @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30

L59	0	((ad or advertisement) with click with redirect) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L60	1	((ad or advertisement) with click with re-direct) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L61	1	((ad or advertisement) with click with (re-direct or redirect)) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L62	1	((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L63	543655	microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L64	12270	micro-processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L65	19733	micro processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L66	550378	micro-processor or microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30

L67	19733	micro-processor or micro processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L68	42	((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L69	0	((ad or advertisement) with click with (re-direct or redirect or redirect)) with intermediate and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L70	27	represent near3 binary with (sequence or string) near3 character and @ad<"20030124"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L71	26	convert with binary with sequence with character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L72	135	(represent or convert) with binary with (sequence or string) near3 character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L73	8	store near4 (binary data) with (sequence or string) near3 character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L74	14	URL with (encode or query or post) with ad and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30

L75	6	US-5708780-\$.DID. OR US-5740549-\$.DID. OR US-5838790-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L76	2	"20030208560".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L77	0	(ad or advertisement) near2 tracking and re- direct same URL and @ad< "20031028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
L78	5	(ad or advertisement) near4 track\$4 and re- direct same URL and @ad< "20031028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S1	0	binary with sequence with concatenate with character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 10:02
S2	1248	binary with sequence with character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 10:02
S3	11	binary with sequence with character with concat\$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 10:02
S4	6	binary with sequence with character with concat\$8 and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 10:06

S5	25	convert with binary with sequence with character and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/11 11:06
S6	162	represent with binary with (sequence or string) with character and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 10:11
S7	34	represent near3 binary with (sequence or string) near3 character and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/11 11:08
S8	0	(ad or advertisement) with click with encode with URL and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 14:52
S9	0	(ad or advertisement) with click same (encode with URL) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 14:52
S10	143	(ad or advertisement) with click with url and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 14:54
S11	0	(ad or advertisement) with click with intermediate with url and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 14:54
S12	0	(ad or advertisement) with click with url same (intermediate with track) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 14:55

S13	1	(ad or advertisement) with click with url same (track) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 14:58
S14	0	(ad or advertisement) with click with url same (track) and (intermediate near3 server) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:07
S15	1	((ad or advertisement) with click with redirect with (proxy or intermediate)) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:09
S16	0	((ad or advertisement) with click with redirect) and (track same statistics) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:12
S17	0	((ad or advertisement) with click with redirect) and (track) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:11
S18	0	((ad or advertisement) with click with re-direct) and (track) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:12
S19	0	((ad or advertisement) with click with redirect) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:12
S20	1	((ad or advertisement) with click with re-direct) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:15

S21	1	((ad or advertisement) with click with (re-direct or redirect)) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:15
S22	1	((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:18
S23	457051	microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:15
S24	10551	micro-processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:16
S25	16850	micro processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:15
S26	462573	micro-processor or microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:15
S27	16850	micro-processor or micro processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:16
S28	40	((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:20

S29	0	((ad or advertisement) with click with (re-direct or redirect or redirect)) with intermediate and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:20
S30	27	represent near3 binary with (sequence or string) near3 character and @ad<"20030124"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/11 11:05
S31	25	convert with binary with sequence with character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/11 11:07
S32	136	(represent or convert) with binary with (sequence or string) near3 character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/11 11:11
S33	8	store near4 (binary data) with (sequence or string) near3 character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/11 11:11
S34	0	encode with URL with (time or charge\$4) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 08:32
S35	12	encode with URL with (time or charge\$4) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 08:32
S36	3339	((encode or contain or insert) NEAR2 URL) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 08:35

S37	783	((encode or contain or insert) NEAR2 URL) with information and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 08:35
S38	48	((encode) NEAR2 URL) with information and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 08:36
S39	0	binary with sequence with concatenate with character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S40	1297	binary with sequence with character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S41	11	binary with sequence with character with concat\$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S42	6	binary with sequence with character with concat\$8 and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S43	26	convert with binary with sequence with character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S44	161	represent with binary with (sequence or string) with character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28

S45	34	represent near3 binary with (sequence or string) near3 character and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S46	0	(ad or advertisement) with click with encode with URL and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S47	0	(ad or advertisement) with click same (encode with URL) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S48	147	(ad or advertisement) with click with url and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S49	0	(ad or advertisement) with click with intermediate with url and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S50	0	(ad or advertisement) with click with url same (intermediate with track) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S51	2	(ad or advertisement) with click with url same (track) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S52	0	(ad or advertisement) with click with url same (track) and (intermediate near3 server) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28

S53	1	((ad or advertisement) with click with redirect with (proxy or intermediate)) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S54	0	((ad or advertisement) with click with redirect) and (track same statistics) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S55	0	((ad or advertisement) with click with redirect) and (track) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S56	0	((ad or advertisement) with click with re-direct) and (track) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S57	0	((ad or advertisement) with click with redirect) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S58	1	((ad or advertisement) with click with re-direct) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S59	1	((ad or advertisement) with click with (re-direct or redirect)) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S60	1	((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28

S61	496113	microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S62	11149	micro-processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S63	17976	micro processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S64	502093	micro-processor or microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S65	17976	micro-processor or micro processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S66	40	((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S67	0	((ad or advertisement) with click with (re-direct or redirect or redirect)) with intermediate and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S68	27	represent near3 binary with (sequence or string) near3 character and @ad< "20030124"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28

S69	26	convert with binary with sequence with character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S70	134	(represent or convert) with binary with (sequence or string) near3 character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S71	8	store near4 (binary data) with (sequence or string) near3 character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S72	14	URL with (encode or query or post) with ad and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 15:14
S73	6	US-5708780-\$.DID. OR US-5740549-\$.DID. OR US-5838790-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 15:49
S74	2	"20030208560".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 15:51
S75	0	(ad or advertisement) near2 tracking and re-direct same URL and @ad<"20031028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 15:52
S76	5	(ad or advertisement) near4 track\$4 and re-direct same URL and @ad<"20031028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 15:52

5/ 7/ 2009 1:37:40 PM

C:\Documents and Settings\wnoonan\My Documents\EAST\Workspaces\10749110 Ad encode URL.wsp